


Process: Demo_ADP_PF_Abort_Child_ProcessFlow



Process Variables

Key	Initial Value	Туре	Activity Name	Activity Label	Activity Type	Track
No Process Variable Defined						

Process Activities

Rest of the Flow			
Comments			
Transition	То	Name	Туре
	End Event		Uncontrolled Flow

SetParentContext2				
Comments				
Transition	То		Name	Туре
	Rest of the Flow			Uncontrolled Flow
Actions properties	Name	SetParentContext2		
	Key	TransactionPID		
	Туре	Set-Parent-Context		
	ParentKey	CHILDPID		
	parentActivityName			
	Activity			

From here onwards p	From here onwards please design rest of Flow that needs to be executed and aborted in case of any delays.			
Comments				
Transition	То	Name	Туре	

	Here we will set TranscationID of child PF in context of Parent PF.			
Comments				
Transition	То	Name	Туре	

Here we will set TranscationPID of child PF in context of Parent PF.			
Comments			
Transition	То	Name	Туре

SetParentContext1				
Comments				
Transition	То		Name	Туре
	SetParentContext2			Uncontrolled Flow
Actions properties	Name SetParentContext1			
	Key	TransactionID		
	Туре	Set-Parent-Context		
	ParentKey	ChildID		
	parentActivityName			
	Activity			

	Start Event		
Comments			
Transition	То	Name	Туре
	SetParentContext1		Uncontrolled Flow

End Event	
Comments	

Process Details

Process Flow Name	Demo_ADP_PF_Abort_Child_ProcessFlow
Process Flow ID	192168001125142613825224600011
Process Flow Description	child process flow
Retain Variable XML	false
Recoverable	true
Creation Date	Thu Mar 12 11:00:52 IST 2015
Modification Date	Thu Apr 16 16:35:22 IST 2015
Logging Level	ERROR
Owner	demouser
Group	DemoGroup
Total Number of Activities	8