Leading the Integration Revolution

Your business problems have changed. Why hasn't your integration solution?





Use Case: Creating an EDI Outbound File



Use Case highlights

In this use case we will go through following steps:

- 1. Use the B2B Trading Partner Relationship to configure EDI Outbound
- 2. Setup a trigger to run the outbound relationship
- 3. View the status and the run-time logs in the B2B Monitoring dashboard



Setup Trading Partner

Setup EDI Trading Partner by going to Develop > Solutions > B2B > Trading Partner

Sol	Solutions > B2B > Trading Partner 🗸								
Delete 🕂 Create New					Quick Sea	rch	Q		
	Name	Description	Owner	Partner ID	Project Name	Modified 🔻	Action		
	LogisticsPartner	Logistics partner relationship	admin	LOGISTICS	UseCase_EDI_Ou	01/06/14	Ξ		
	Edit EDI Trading Partner: LogisticsPartner								

Basic properties

	Name *	LogisticsPartner
	Description *	Logistics partner relationship
	Project	UseCase_EDI_Outbound
4	EDI Configuration	/
	Partner ID*	
		/
	Host ID*	ORGID 🗸
	Inbound Global Control Numbers Outbound Global Control Numbers Contact Information	



Configure: Event

Setup Event by going to Develop > Events > File

Ev	Events > File							
Ĩ	Delete 🗸 Activate 🖉 Deactivate 🕂 Create New							
		Name	Description	Owner	PF	Project Name	Modified 🔻	Action
	0	Logistics_EDI_Shipment_Event	trigger Logistics outbound relationship	admin	View	UseCase_EDI_Ou	01/06/1	Ξ
		Z						
			Name* Logistics_EDI_Shipment_Ev	/ent				
		Des	trigger Logistics outbound	relationship)			
		Trigg	ger Type* On FileExists	•				
		Check for File Mod	lification					
		File Include	Criteria* shipmentnotice.txt 🗸					
		File Exclude	e Criteria					
		File Base L	ocation* c:\data\edi					



Configure: Mapping

Setup Event by going to Develop > Services > Data Transformation

Services > Data Transformation > Data Mapping								
🛅 Delete 🛛 🕂 Create New	Delete + Create New Quick Search							
Name	Description	Owner	Project Name	Modified 🔻	Action			
EDI_ShipmentNotice	EDI 214 map	admin	UseCase_EDI_Outb	01/06/14	Ξ			
Structure_of_source_XSD Structure_of_source_XSD Structure_of_source_Sch Record Record PartnerID (string) (Structure_of_source_Sch Structure_of_source_XSD Structure_SSD Structure_of_source_XSD Structure_of_sourc	ema) M)	Loop1	L_N1 L N101 (Entity Identifier Con N102 (Name) (type93) (N103 (Identification Code	de) (type98) M) Qualifier) (type66)	ed (M)			
 ShipperName (string) ShipperName (string) (M) Address (string) (M) State (string) (M) TransactionID (string)) (M)))) (M)		 N105 (Entity Relationship) N106 (Entity Identifier Code) N201 (Name) (type93) (N202 (Name) (type93) 	(c)pc07) (H) Code) (type706) de) (type98) (M)				
			 N301 (Address Information N302 (Address Information N401 (City Name) (type1 N402 (State or Province C N403 (Postal Code) (type N404 (Country Code) (type N405 (Location Qualifier) 	n) (type166) (M) n) (type166) 9) (M) code) (type156) (M e116) pe26) (M) (type309)	м)			

Prerequisite: Create Source and target EDI schemas by going to Develop >Services>Schema



Configure: Target

Create Target by going to Develop > Services > Target > File

Services > Target > File 🗸							
🛅 Delete 🛛 🖶 Create New	Quick	Quick Search					
Name	Description	1	Owner	Project Name	Modified 🔻	Action	
EDI_Shipment_Logistics_Target	target file loc	ation	admin	UseCase_EDI_Outb	01/06/14	Ξ	
	Name* Description*	EDI_Shipment_Logistics_Tar target file location	get				
	File Path*	c:\data\edi					
	✓ File Name* Time Stamp	Logistics_214_output_ yyyymmdd	▼ HH-n	nm-ss			
	Create Unique File File Extension*	txt					



Create Target by going to Solutions > B2B > Relationships

Solutions > B2B > Relationships						,				
Trading Partner 🕂 Quick Search 🖌	D Inbou	ınd Relationship		Outbound Relati	onship 🗸	ISA Outbound	l Envelope	UNB Outbound	Envelope	
LogisticsPartner 🗸	💼 Delete 🕒	🖡 Create New 🗸	1					Quick Search		\$
PartnerHospital	Name		Desc	ription	Owne	r Project Name	e Document Type	Data Format	Modified	Action
Pathacdallachital	Logistics	5_EDI_214	EDI 21	14 relationship	admin	UseCase_E	QM	X12	01/06	≡
bethesuariospital		EDI Out	tbound Rel	lationship: Logisti	ics_EDI_21	4				
		7		Name*	Logistics_E	<u>DI_214</u>				
				Description	EDI 214 rel	ationship				
				Description*				/		
				EDI Standard*	X12		•			
			E	DI Standard Version*	004010	v		•		
			Associa	ation Assigned Code	/					
			Ti Tect/D	ransaction Set Code*	214 🗸					
			Experies Figure 1	t Acknowledgement	I-Test					
			Exper	Hours Overdue						
		U	se Global Tra	insaction Control No						
		Lá	ast Used Trar	nsaction Control No*	0000					
			Respo	onsible Agency Code	x					
		_	Ski	p Compliance Check]			
ADEPT									8	

Select Event, Mapping and Target activities created in previous steps

⊿	Routing properties					
	Location Based Routing					
	Service Type	File Event		,		
	Service Name	Logistics_EDI_Shipment_Event (trigger Logistics outbound re)	•	V		
	Decrypt Source File					
	Data Security	SELECT	-			
	Content Based Routing					
	Select Field	SELECT	-	+	7	30
	Define Value					
⊿	Translation properties					
	Mapping	EDI_ShipmentNotice (EDI 214 map)	•	1		
	Send Data to Trading Partner					
	Service Type	File Target 🔹 🗸			,	
	Service Name	EDI_Shipment_Logistics_Target (target file location)	•	5		



Put in your Host ID in the Sender ID field and the Trading Partner ID in the Receiver ID field.

Group Envelope properties		
Functional ID*	QM	
Sender ID*	orgid 🗸	
Sender Code Qualifier		
Receiver ID*		
Recipient Code Qualifier		
Use Global Control No		
Last Used Control Number*	0	
Responsible Agency Code*	X	
Envelope Version*	004010	
Sequence From Group		Select the ISA Envelope or
Format	Normal	create a new one
ISA Envelope properties		\swarrow
Use Existing	Logistics_ISA (ISA envelope)	•
Create New		+



Basic properties					
Name*	Logistics_ISA				
Description*	ISA envelope		Interchange control number*	00000000	
Augherization and		//	Acknowledgement*	Yes	
Authorization code qualifier*	00		Test/Production Indicator*	T-Test	r -
Authorization code]	Element Separator*	*	Hex Format
Security code qualifier*	00			~	Hey Format
Security code			Sub-element Separator		Hex Format
Interchange SenderID qualifier*	01]	Segment Terminator*	a	✓ Hex Format
Interchange SenderID*	ORGID		Repetition Separator		Hex Format
Interchange ReceiverID qualifier*	09]	Project	UseCase_EDI_Outbound	•
Interchange ReceiverID*	LOGISTICS				
Interchange Standards Identifier*	U]			
Interchange VersionID*	00401				
Use Global Interchange Control No					



B2B Logs

First run the Event by going to Events > File and select and activate or right click and click on Execute Now if the trigger type is on File exists.

After executing or activating the trigger go to Monitor > History > B2B Logs





Project

Manage your activities by going to the project. All the objects are shown under their service categories.

Projects Solutions • Process • Services • Events • Web Forms Reports and Dashboards •								
Projects	,							
List of activities included in project "UseCase_	List of activities included in project "UseCase_EDI_Outbound"							
A Back Move								
Name	Description	Owner	Modified					
🗆 Data Mapping (1)	Data Mapping (1)							
EDI_ShipmentNotice	EDI 214 map	admin	01/06/14 10:07					
EDI ISA Outbound Envelope (1)	EDI ISA Outbound Envelope (1)							
Logistics_ISA	ISA envelope	admin	01/06/14 09:43					
∃ EDI Outbound Relationship (1)								
Logistics_EDI_214	EDI 214 relationship	admin	01/06/14 09:43					
🖻 EDI Schema (1)								
Common_EDI_214_Shipment	Common 214 Shipment Notice schema	admin	01/06/14 09:22					
EDI Trading Partner (1)								
LogisticsPartner	Logistics partner relationship	admin	01/06/14 09:08					
Event Registry (1)								
Logistics_EDI_Shipment_Event_X12_Registry	Registry to Bind event Logistics_EDI_Shipment	admin	01/06/14 09:43					
B File Event (1)								



Leading the Integration Revolution

Your business problems have changed. Why hasn't your integration solution?

Thank You!

