

Adeptia Suite 5.0

Business User Guide

Release Date March 18, 2013

Adeptia Inc.
443 North Clark Ave,
Suite 350
Chicago, IL 60654, USA

Copyright

Copyright © 2000-2009 Adeptia, Inc. All rights reserved.

Trademarks

The Adeptia™ is a trademark of Adeptia, Inc.


Statement of Conditions

Adeptia, Inc. provides this publication "as is" without warranty of any kind, either express or implied. In no event shall Adeptia be liable for any loss of profits, loss of business, loss of use or data, interruption of business, or for indirect, special, punitive, incidental, or consequential damages of any kind.

No part of this work covered by copyright herein may be reproduced in any form or by any means—graphic, electronic or mechanical—including photocopying, recording, taping, or storage in an information retrieval system, without prior written permission of the copyright owner.

This publication is subject to replacement by a later edition. To determine if a later edition exists, contact www.adeptia.com.

Document Conventions

Convention	Description
Text Matter in font Verdana and font size 9 point.	Explains the installation guide.
Text matter	Click on link to reach target.
	Note:

Abbreviations Used

Abbreviation	Description
WebDAV	Web-based Distributed Authoring and Versioning

Contact Information

In case of any queries, please contact us at:

Contact For	Email ID
Sales	sales@adeptia.com
Support	support@adeptia.com

For latest updates and information, please visit us at www.adeptia.com .

Table of Contents

1	ABOUT THIS GUIDE	5
2	TARGET AUDIENCE	6
3	TASK MANAGER	8
	OPENING TASK MANAGER.....	8
	<i>Staffs Task Manager</i>	9
	OPENING A TASK.....	11
	<i>Attaching Files to a Task</i>	11
	<i>Viewing Files Attached to a Task</i>	12
	ENTERING COMMENTS FOR A TASK.....	13
	TASK HISTORY.....	14
	<i>Usage Scenario</i>	20
4	DOCUMENT MANAGER	22
	OPENING DOCUMENT REPOSITORY.....	22
	VIEWING A DOCUMENT.....	23
	DOWNLOADING A DOCUMENT.....	25
	SEARCHING A FOLDER OR DOCUMENT.....	26
5	USING MY SOLUTIONS	30
	EXECUTING A SOLUTION.....	30
6	MONITORING SOLUTIONS	34
	SOLUTIONS.....	36
	<i>Solution Dashboard</i>	37
	Viewing Solution Dashboard.....	38
	SOLUTIONS DETAILS.....	39
	<i>Solution Start Trend</i>	40
	<i>Task Completion Trend</i>	40
	<i>Current Tasks Status</i>	40
	<i>Current User Workload</i>	40
	SOLUTION INSTANCES.....	41
	<i>Task History of Process Flow</i>	42
7	MONITORING USER PERFORMANCE	43

TASK QUEUES	45
TASK QUEUE DETAILS	46
<i>Task Completion Trend</i>	46
<i>Current Tasks Status</i>	46
DETAILED TASK QUEUE	46
8 VIEWING USAGE REPORT	48
CURRENT REPOSITORY SUMMARY	49
PROCESS EXECUTION SUMMARY	49
DATA INTEGRATION EXECUTION SUMMARY	50
9 VIEWING PROCESS FLOW REPORT.....	51
10 VIEWING ADEPTIA SERVER LOGS	54
<i>Access Control to Logs</i>	55
11 VIEWING AUDIT TRAIL LOG	56
12 VIEWING EVENT LOG	58
13 VIEWING SYSTEM LOG	60
14 VIEWING PROCESS FLOW LOG	62
15 ABOUT ADEPTIA INC.....	68
16 TABLE OF FIGURES.....	69

1 ABOUT THIS GUIDE

This document covers a detailed description of all features of Adeptia Suite that are available to a business user. It acts as a guideline to use these features seamlessly and perform them in a business environment using Adeptia Suite.



These features are available to all users of Adeptia Suite.

Additionally, a business user also has access to the Process Modeling and Simulation feature of Adeptia Suite. For details, refer to the Process Modeling and Simulation Guide.

This document is divided into the following sections:

- My Tasks
 - [Task Manager](#)
 - [Task History](#)
- My Documents
 - [Document Manager](#)
- My Solutions
 - [Using My Solutions](#)
- My Monitor
 - [Monitoring Solutions](#)
 - [Monitoring User Performance](#)
 - [Viewing Usage Report](#)
 - [Viewing Process Flow Report](#)
- History
 - [Viewing Adeptia Server Logs](#)
 - [Viewing Audit Trail Log](#)
 - [Viewing Event Log](#)
 - [Viewing System Log](#)
 - [Viewing Process Flow Log](#)

2 TARGET AUDIENCE

Even though all these features are available to all users, they are primarily performed by a business user. Thus, this document is intended for business users. They can use these details to seamlessly perform all functions of Adeptia Suite.

MY TASKS

3 TASK MANAGER

You can view and manage all tasks assigned to you. If you are a manager then you can view and manage all tasks assigned to your staff (all users for whom you are the manager).

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√	√	√

This chapter describes the following tasks:

- [Opening Task Manager](#)
- [Opening a Task](#)
- [Attaching Files to a Task](#)
- [Viewing Files Attached to a Task](#)
- [Entering Comments for a Task](#)

OPENING TASK MANAGER

By default, the Adeptia Homepage workspace area is displayed as a tabbed layout. It has three tabs:

- Task Manager
- Staffs Task Manager (appears only when you are a Manager)
- Task History

It is displayed with the *Task Manager* tab as selected.

Steps to open Task Manager

1. By default, the Adeptia Homepage displays the Task Manager screen. Alternately, in the Adeptia Suite homepage menu, click **[+] My Tasks** to expand the tree. All the items in the **My Tasks** category are displayed.
2. Click **Task Manager**. The Task Manager screen is displayed (see Figure 3.1).




Figure 3.1: Task Manager

3. This screen displays tasks as organized based on the date when they are due. The information includes the task name, task subject, action, priority, expiry date and comments.

The tasks are organized as:

- **Over Due:** contains a list of tasks for which due dates have already passed.
- **Due Today:** contains a list of tasks which are due for today.
- **Due This Week:** contains a list of tasks, which are due for the next six days. Tasks that are listed in the *Due Today* list are not listed in this list.
- **Due Later:** contains a list of tasks for which due dates are more than seven days.

The tasks are organized in the Task Manager screen as displayed (see Figure 3.2).




Figure 3.2: Task Manager (with Tasks)

Staffs Task Manager

This tab displays tasks as organized based on the date when they are due. The information includes the task name, task subject, assign to, priority, expiry date, due date, action and comments (see Figure 3.3).

The tasks are organized as:


- **Over Due:** contains a list of tasks for which due dates have already passed.
- **Due Today:** contains a list of tasks, which are due for today.
- **Due This Week:** contains a list of tasks, which are due for the next six days. Tasks that are listed in the *Due Today* list are not listed in this list.
- **Due Later:** contains a list of tasks for which due dates are more than seven days.
- **Staff Profile:** Manager can view the calendar of the staffs for its availability. To view the dates at which user will not be available, click **View** link in the user's profile.

Home Page									
Task Manager Staff Task Manager Task History									
<div style="text-align: right;"> --Select Field to Search-- <input type="text"/> Search </div>									
Over Due									
# ^	Task Name	Task Subject	Assign To	Priority	Expiry Date	Due Date	Action	Comm.	
No over due tasks									
Due Today									
# ^	Task Name	Task Subject	Assign To	Priority	Expiry Date	Due Date	Action	Comm.	
1	LossAdjustor	lossadjustor	Bill	Immediate	07/01/2009 22:20	07/01/2009 22:20	Update		
Due within a Week									
# ^	Task Name	Task Subject	Assign To	Priority	Expiry Date	Due Date	Action	Comm.	
1	ReviewClientDetails	task1	john	Immediate	07/03/2009 19:16	07/02/2009 18:15	Update		
Due Later									
# ^	Task Name	Task Subject	Assign To	Priority	Expiry Date	Due Date	Action	Comm.	
No due later tasks									
Staff Profile									
# ^	User	Colleague	Calendar						
1	john		View						
2	Bill	john	View						
3	Ruth	john	View						

Figure 3.3: Staffs Task Manager

The Manager can change the *Assign To*, *Priority*, *Due Date*, *Expiry Date* and *comments* of the tasks assigned to its staff. Manager can re-assign the task to any other user or users from the staff. After changing tasks properties, click **Update** button to save the changes. Manager can enter/update comments by clicking the **Comments** icon.


When a manager reassigns the task from one user to another, an email is sent to existing user that the task has been removed from his/her task manager. Similarly an email is send to the new user that a task is added to his/her task manager.

 For details on Task History tab, refer to the [Task History](#) section.

OPENING A TASK

Steps to open a Task

1. Click **Open Task** against the task that you want to open. The Task screen is displayed (see Figure 3.4).



The screenshot shows a web interface for a task. At the top right is a link for [Task History](#). Below it is a 'print' icon. The form contains four input fields: 'Name', 'Address' (with a scroll bar), 'Mobile' (with a location pin icon), and 'Email ID'. Below the form is a 'Documents' section with two panels: 'Attach Files' and 'View Files'. The 'Attach Files' panel has a table with columns 'File Name' and 'Size', and a message 'No files attached in this task'. The 'View Files' panel has a column 'Attached Documents' and a message 'No Files available'. At the bottom are two buttons: 'Save Task' and 'Finish Task'.

Figure 3.4: Task

2. This screen displays the activities associated with the selected task. Enter the details as required.

You can attach files to the task, view the files attached, save the changes to the task and view Task History from this screen.



Once you open a task, and another user opens the same task, it is displayed with a message that the task is already opened by another user.

Attaching Files to a Task

Steps to attach files to a Task

1. Click **Attach Files** link in the Documents section in the Task screen. This displays the File Upload screen (see Figure 3.5).

Human Workflow File Upload

File Upload :

Figure 3.5: File Upload

2. Click **Browse** to select the file to be uploaded.
3. Click **Upload File**. This uploads the file and displays it in the Attach Files section in the Task screen (see Figure 3.6).

Documents


Attach Files			View Files	
	File Name	Size		
1	source.txt	17 Byte (s)	delete	
2	ClaimManagementPF.xml	6 KB	delete	

Attached Documents

No Files available

Figure 3.6: File Uploaded

4. Click **Save Task** to save the task. When you save a task, you can open it anytime. Click **Finish Task** to complete the task.

 You can remove an attached file by clicking the **Delete** link.

Viewing Files Attached to a Task

Steps to view files attached to a Task

1. Once you attach files to a task and save the task, then on opening the task again, displays the attached files in the View Files section in the Task screen (see Figure 3.7).




Figure 3.7: View Attached Files


2. Click **View/Download** to open or save the file.



You can view the history of the task by clicking **Task History** link. For details on task history, refer to the [Task History](#) section.

ENTERING COMMENTS FOR A TASK

Steps to enter comments for a Task

1. Click the **Comments** icon () against the task for which you want to enter comments, on the Task Manager (with Tasks)/Staffs Task Manager screen. This displays the Comments screen (see Figure 3.8).

View/Edit Comments for the task 'ReviewClientDetails'

Properties	Value
Task Id	192168001002124644629039800015
Task Name	ReviewClientDetails
Task Description	task1
Process Flow Name	cust
Assign To	admin
Task Priority	Immediate
Task Creation Date	07/01/2009 16:34
Task Due Date	07/02/2009 17:35
Task Expiry Date	07/03/2009 18:36
Comments	<div style="border: 1px solid gray; padding: 5px;"> <!-- Empty comment box --> </div>
<input type="button" value="Save Comments"/> <input type="button" value="Cancel"/>	

Figure 3.8: Comments screen

2. This screen displays all details associated with the selected task. Enter the comments for the task in the *Comments* field.
3. Click **Save Comments**. This saves the entered comments and closes the screen.

TASK HISTORY

The Task History tab displays history of tasks of a process flow instance or task instance based on the entered search criteria. It displays the detailed information of each action taken on the task either by user or by the Adeptia Suite application.

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√	√	√

Steps to view Task history

1. Click **[+] My Tasks** to expand the tree. All the items in the **My Tasks** category are displayed.
2. Click **Task History**. The Task History screen is displayed (see Figure 3.9). Alternately, you can click the **Task History** tab on the Adeptia Homepage to view the Task History screen.






Figure 3.9: Select Search Criteria


3. Enter the start date and start time in the Start Date and Start Time fields respectively.
4. Enter the end date and end time in the End Date and End Time fields respectively.



Click **Calendar** icon  to select the *Start Date* and *End Date* from calendar.

This date range implies that the system will search the **Task History** for tasks that have been modified (including a task being saved or reassigned) within the entered date and time range.

5. You can search for tasks based on a process instance or task instance; by selecting the appropriate radio button in the Based On field. If Process Instance is selected, then it displays the latest task for all process instances that match the entered search criteria. If Task Instance is selected, then it displays all tasks within the entered search criteria. By default, Process Instance is selected.
6. If Process Instance option is selected, you can search for the latest task of a process instance based on a specific date range, by entering the start and end dates and time in their respective fields. You can further filter the search by selecting the process status as Executed, Running or Aborted from the Status drop-down list. Additionally, you can search for the task of a particular process instance by selecting Instance Name from the Search drop-down list and then entering the instance name in the adjoining text box. Once you have entered all criteria, click Search button. This displays the latest task of all process instances that match the entered criteria (see Figure 3.10).




Instance Name	Task Name	Task Subject	Task Owner	Task Status	Process Status	Process Start Time
lossadj	LossAdjustor	lossadjustor	admin	Assigned	Waiting	07/01/2009 16:43:57
cust	ReviewClientDetails	task1	admin	Assigned	Waiting	07/01/2009 16:34:45
cust	ReviewClientDetails	task1	admin	Assigned	Waiting	07/01/2009 16:35:03
lossadj	LossAdjustor	lossadjustor	Bill	Assigned	Waiting	07/01/2009 17:15:08
review	Claim_Amount_review	review	Paula	Assigned	Waiting	07/01/2009 17:15:01
cust	ReviewClientDetails	task1	john	Assigned	Waiting	07/01/2009 17:14:51
review	Claim_Amount_review	review	admin	Assigned	Waiting	07/01/2009 16:39:52

Figure 3.10: Process Instance Search Results

7. This screen displays the following information:

- *Instance Name*: This is the process flow description. If this description is dynamically overridden, the latest description is displayed.
- *Task Name*: This is the name of the Workflow task.
- *Task Subject*: This is the task description that has been dynamically set or else defined. The latest description is displayed.
- *Task Owner*: This is the name of the user to whom the task is assigned.
- *Task Status*: This is the status of task as *Assigned*, *Overdue*, *Expired* or *Completed*. The latest task status within the specified time range is displayed.
- *Process Status*: This is the status of the process as *Running*, *Executed*, *waiting* or *Aborted*. The latest process status within the specified time range is displayed.
- *Process Start Time*: This is the start time of the process instance. It is retrieved from the Process Flow Log.

8. Alternately, if you select the *Task Instance* radio button, then you can search for all tasks which are completed or are still running within a specific date range by entering the start and end dates and time in their respective fields. You can further filter the search by selecting the task status as New, Completed, Overdue or Expired from the *Status* drop-down list. Additionally, you can search for a particular task by selecting Task Name, Task Subject, or Owner from the *Search* drop-down list and then entering the value in the adjoining text box. Once you have entered all criteria, click **Search** button. This displays all tasks that are completed or still running, within the entered criteria (see Figure 3.11).




The screenshot shows a search interface for 'My Tasks > Task History'. It includes search criteria for Start Date (07/01/2009), Start Time (00:00), End Date (07/01/2009), and End Time (23:59). The search is based on 'Task Instance' with 'All Status' selected. A search box contains 'All Tasks' and a 'Search' button. Below is a table of results:

Instance Name	Task Name	Task Subject	Task Owner	Task Status	Process Status	Process Start Time
lossadj	LossAdjustor	lossadjustor	admin	Assigned	Waiting	07/01/2009 16:43:57
cust	ReviewClientDetails	task1	admin	Assigned	Waiting	07/01/2009 16:34:45
cust	ReviewClientDetails	task1	admin	Assigned	Waiting	07/01/2009 16:35:03
lossadj	LossAdjustor	lossadjustor	Bill	Assigned	Waiting	07/01/2009 17:15:08
review	Claim_Amount_review	review	Paula	Assigned	Waiting	07/01/2009 17:15:01
cust	ReviewClientDetails	task1	john	Assigned	Waiting	07/01/2009 17:14:51
review	Claim_Amount_review	review	admin	Assigned	Waiting	07/01/2009 16:39:52

Figure 3.11: Task Search Results

9. This screen displays the following information:

- *Instance Name*: This is the process flow description. If this description is dynamically overridden, the latest description is displayed.
- *Task Name*: This is the name of Workflow task.
- *Task Subject*: This is the task description that has been dynamically set or else defined. The latest description is displayed.
- *Task Owner*: This is the name of the user to whom the task is assigned.
- *Task Status*: This is the status of task as *Assigned*, *Overdue*, *Expired* or *Completed*. The latest task status within the specified time range is displayed.
- *Process Status*: This is the status of the process as *Running*, *Executed*, *waiting* or *Aborted*. The latest process status within the specified time range is displayed.
- *Process Start Time*: This is the start time of the process instance. It is retrieved from the Process Flow Log.

 You can use wildcards in the value to search.

- Click the *Instance name* whose details you want to view, on Process Instance Search Results or Task Search Results screen. The Process Instance Details screen is displayed (see Figure 3.12).

Task History > cust						
Process						
Detail Log Execution View						
Name	cust			Instance Name	cust	
Start Time	07/01/2009 16:34:45			End Time	N/A	
Status	Waiting					
Tasks						
View History View Business Data						
#	Name	Description	Current Owner	Status	Completion Date	Priority
1	ReviewClientDetails	task1	admin	Task is due on 07/02/2009 17:35	N/A	immediate
Documents						
All Revisions						
	Name	Revision	Related Task	Uploaded By	Uploaded Date	
C	source.txt	N/A	ReviewClientDetails	admin	07/01/2009 20:29:08	
C	ClaimManagementPF.xml	N/A	ReviewClientDetails	admin	07/01/2009 20:28:47	
Close Window						

Figure 3.12: Process Instance Details

- This screen is divided into three parts. The first part displays information related to a process instance. You can view the process flow log by clicking the **Detail Log** link. The Process Flow Log screen is displayed (see Figure 3.13).

Process Flow Log Details										
Process Flow Name: cust										
Process Flow PID: 192168001002124644628444500001										
Date/Time	Activity Name	Activity Type	Status	Message	Level	Location	Activity ID	Activity PID	User Id	Group Id
07/01/2009 19:45:49	cust	Transaction	Waiting	Process flow is waiting	INFO	transaction.IndigoTransaction\$1.run(IndigoTransaction.java:433)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
07/01/2009 19:45:49	ReviewClientDetails	HumanInteraction	Running	Execute	INFO	services.AbstractService.execute(AbstractService.java:487)	192168001002124627070842100004	192168001002124645774904600034	admin	administrators
07/01/2009 19:45:49	ReviewClientDetails	HumanInteraction	Running	Recovered Task. ID: 1246446290398	INFO	services.humaninteraction.HumanInteraction.initialize(HumanInteraction.java:100)	192168001002124627070842100004	192168001002124645774904600034	admin	administrators
07/01/2009 19:45:49	ReviewClientDetails	HumanInteraction	Running	Initialize	INFO	services.AbstractService.initialize(AbstractService.java:132)	192168001002124627070842100004	192168001002124645774904600034	admin	administrators
07/01/2009 19:45:46	cust	Transaction	Running	Running process flow (192168001002124627356653100001)	INFO	transaction.IndigoTransaction.execute(IndigoTransaction.java:515)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
07/01/2009 19:45:46	cust	Transaction	Running	Execute	INFO	services.AbstractService.execute(AbstractService.java:487)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
07/01/2009 19:45:45	cust	Transaction	Running	Recovering process flow	INFO	transaction.IndigoTransaction.receive(IndigoTransaction.java:1100)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
07/01/2009 19:45:45	cust	Transaction	Running	Initialize	INFO	services.AbstractService.initialize(AbstractService.java:132)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
07/01/2009 16:34:50	cust	Transaction	Waiting	Process flow is waiting	INFO	transaction.IndigoTransaction\$1.run(IndigoTransaction.java:433)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
07/01/2009 16:34:50	ReviewClientDetails	HumanInteraction	Running	Execute	INFO	services.AbstractService.execute(AbstractService.java:487)	192168001002124627070842100004	192168001002124644629025700013	admin	administrators
07/01/2009 16:34:50	ReviewClientDetails	HumanInteraction	Running	Adding a Task in TaskManager. ID: 1246446290398	INFO	services.humaninteraction.HumanInteraction.initialize(HumanInteraction.java:102)	192168001002124627070842100004	192168001002124644629025700013	admin	administrators
07/01/2009 16:34:50	ReviewClientDetails	HumanInteraction	Running	Initialize	INFO	services.AbstractService.initialize(AbstractService.java:132)	192168001002124627070842100004	192168001002124644629025700013	admin	administrators
07/01/2009 16:34:45	cust	Transaction	Running	Running process flow (192168001002124627356653100001)	INFO	transaction.IndigoTransaction.execute(IndigoTransaction.java:515)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
07/01/2009 16:34:45	cust	Transaction	Running	Execute	INFO	services.AbstractService.execute(AbstractService.java:487)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
07/01/2009 16:34:45	cust	Transaction	Running	Initialize	INFO	services.AbstractService.initialize(AbstractService.java:132)	192168001002124627356653100001	192168001002124644628444500001	admin	administrators
Close Window										

Figure 3.13: Process Flow Log screen

- Click **Close Window** to close this screen and return to the Process Instance Details screen. You can view the graphical representation of the process flow by clicking **Execution View** link (see Figure 3.14).




Figure 3.14: View Process Flow

13. The second part of the Process Instance Details screen displays information related to the tasks of the process flow. You can view the history of the task by selecting a task and clicking the **View History** link. The Task History screen is displayed (see Figure 3.15).

Task History										
Task Name		ReviewClientDetails								
Task Subject		task1								
Task Current Status		Assigned								
Task Current Owner		admin								
Task Creation Date		07/01/2009 16:34:50								
Action	ActionBy	Action With	Log Time	Business Data	Status	Task Due Date	Task Expiry Date	Task Priority	Uploaded File	
Task is saved	admin	N/A	07/01/2009 20:55:41	N/A	Assigned	07/02/2009 17:35	07/03/2009 18:36	immediate		
Task is opened	admin	N/A	07/01/2009 20:55:35	N/A	Assigned	07/02/2009 17:35	07/03/2009 18:36	immediate		
Task is opened	admin	N/A	07/01/2009 20:30:38	N/A	Assigned	07/02/2009 17:35	07/03/2009 18:36	immediate		
Task is saved	admin	N/A	07/01/2009 20:30:31	N/A	Assigned	07/02/2009 17:35	07/03/2009 18:36	immediate		
File source.txt has been uploaded	admin	N/A	07/01/2009 20:29:08	N/A	Assigned	07/02/2009 17:35	07/03/2009 18:36	immediate	source.txt	
File ClaimManagementPF.xml has been uploaded	admin	N/A	07/01/2009 20:28:47	N/A	Assigned	07/02/2009 17:35	07/03/2009 18:36	immediate	ClaimManagementPF.xml	
Task is opened	admin	N/A	07/01/2009 20:28:25	N/A	Assigned	07/02/2009 17:35	07/03/2009 18:36	immediate		
New Task is assigned	Application	admin	07/01/2009 16:34:50	N/A	Assigned	07/02/2009 17:35	07/03/2009 18:36	immediate		

Figure 3.15: Task History

14. This screen displays the task history in descending order. If business data is added or modified for the task, then the **Business Data** link appears at that stage. Click the **Business Data** link to view the details of the Business Data at that point for the task (see Figure 3.16).

Business Data Detail > Travel Agency ID::travel agency 201

Sales Information

Travel Agency ID	<input type="text" value="travel agency 201"/>
Sales Contact Person	<input type="text" value="Adam"/>
Request Message	<input type="text" value="Process initiated"/>
Sales Director Comments	<input type="text" value="verified"/>
FM Comments	<input type="text" value="approved"/>
GM Comments	<input type="text" value="approved"/>
Check Number*	<input type="text" value="4598267"/>
Delivery Date*	<small>Enter Date in dd/mm/yyyy Format</small> <input type="text" value="28/01/2008"/>
Comments	<input type="text"/>

*Mandatory fields.

Close Window

Figure 3.16: Business Data Detail

15. Alternately, you can view the details of the business data from the Process Instance Details screen by selecting the task and clicking the View Business Data link. It displays the latest details of the business data.
16. The third part of the Process Instance Details screen displays information related to the documents that have been uploaded in the process instance. You can view the revisions of a document by selecting the document and clicking the **All Revisions** link. Click **Close Window** to return to the Task History screen. Alternately, you can view the documents from the Task History screen, by clicking the document in the *Uploaded File* field.

Usage Scenario


A process flow *Incentive Process* is run twice thus generating two process instances namely *Incentive Process 01-23-08 10-03-14* and *Incentive Process 01-23-08 10-12-37*. Process instance *Incentive Process 01-23-08 10-03-14* has six tasks namely *HWF_SalesDataEntry*, *HWF_SalesSupportDataEntry*, *HWF_SalesDirectorReview*, *HWF_FMReview*, *HWF_GMReview* and *HWF_Payment*.

HWF_SalesDataEntry is started at 10:00AM and is completed at 11:30AM. However, it is modified and saved at 11:00AM. Once the task is completed, its status changes from *Assigned* to *Completed*. Next *HWF_SalesSupportDataEntry* is executed starting at 11:30AM and completing at 12:30PM. *HWF_SalesDirectorReview* is started at 12:30PM and completed at 2:00PM.

Case:

Search Based on Process Instance

If you search the task log for tasks of the *Incentive Process 01-23-08 10-03-14* process instance, between 10:00AM and 12:15PM, based on *Process Instance*, then it will display *HWF_SalesSupportDataEntry*, as that is the latest task of the process instance within the specified time range (see Figure 3.17).




Instance Name	Task Name	Task Subject	Task Owner	Task Status	Process Status	Process Start Time
Click on Search Button to get records						

Figure 3.17: Tasks search based on Process Instance

Search Based on Task Instance

If you search the task log for tasks of the *Incentive Process 01-23-08 10-03-14* process instance, between 10:00AM and 12:15PM, based on *Task Instance*, then it will display *HWF_SalesDataEntry* and *HWF_SalesSupportDataEntry*, as these are the tasks of the process instance, which are modified within the specified time range (see Figure 3.18).



Instance Name	Task Name	Task Subject	Task Owner	Task Status	Process Status	Process Start Time
No Log Data available						

Figure 3.18: Tasks search based on Task Instance

MY DOCUMENTS

3. By default, this screen displays the Process Flow Repository of the group of the logged-in user. If the Administrator is logged in, then this screen will display the *Process Flow Repository* of the *Administrators* group.
4. The process flow repository includes folders that are created each time an instance of the process flow is executed. It is created in the format :

Process Flow Name_Process Flow Object ID_Process Flow Instance ID

For example,

EvalXform_ProcessFlow_192168001166112203049331200004_192168001203124625665226500036

5. The folder comprises of all intermediate files associated with that process flow (see Figure 4.2).




Figure 4.2: Intermediate Process Flow Files



If no process flow is executed for 14 days, then clicking the applet will display the message "No Repository" in the process flow repository screen.

You can also view the WebDAV Repository in the Document Manager screen, by changing the *abpm.hi.repository.type* property under *Services -> Human Workflow* properties. The value of this property is set to default, which displays the Process Flow Repository. You can change this value to *WebDAV* to view the WebDAV Repository.

VIEWING A DOCUMENT

You can view a document in the Document Manager.

Steps to view a document

1. Click the Process Flow folder whose associated document you want to view. Navigate to the document (see Figure 4.3).




Figure 4.3: Select Document

2. Right-click the document and select **View** from the Right drop-down menu (see Figure 4.4).




Figure 4.4: Select View

3. This displays the selected document in a new screen (see Figure 4.5).




Figure 4.5: View Document

DOWNLOADING A DOCUMENT

Steps to download a document

1. Click the Process Flow folder whose associated document you want to download. Navigate to the document (refer to Figure 4.3).
2. Right-click the document and select **Download** from the Right drop-down menu (see Figure 4.6).




Figure 4.6: Select Download

3. This displays the Download File screen (see Figure 4.7).




Figure 4.7: Download File

4. Click **Save**. This displays the Save As screen (see Figure 4.8).




Figure 4.8: Save As

5. Click **Save**. This saves the file in the specified location.

SEARCHING A FOLDER OR DOCUMENT

If the repository is too long, then you can search for a particular folder or even a document.

Steps to search for a folder or document

1. Right-click the Repository and select **Search** from the Right drop-down menu (see Figure 4.9).




Figure 4.9: Select Search

2. This displays the Input screen (see Figure 4.10).





Figure 4.10: Input

3. Enter the name of the folder or document that you want to search for in the *Enter search criteria* field.

	You can also enter wildcard characters in your search criteria.
---	---

4. If you enter *Cust** in the *search criteria* field, then all process flow folders and documents starting with *Cust* are selected (see Figure 4.11). If you enter *Eval** in the search criteria field, then all process flow folders and documents starting with *Eval* are selected (see Figure 4.12).




Figure 4.11: Selected Folders




Figure 4.12: Selected Folders and Documents

MY SOLUTIONS

5 USING MY SOLUTIONS

My Solutions are form-based applications created using web forms. These forms are created by a developer and are available under 'My Solutions' link in the Workspace Menu.

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√	√	√

EXECUTING A SOLUTION

All forms that are created with links and are activated by a developer will get listed in the *My Solutions* menu.

Steps to execute a solution

1. Click **[+] My Solutions** to expand the tree. All the items (Category Names) in the **My Solutions** are displayed.
2. Click **[+] <Category Name>** to expand the tree. The *Solution(s)* is displayed (see Figure 5.1).




Figure 5.1: Major and Minor Level Category Names in My Solutions Menu

3. Click the Solution to display the application (see Figure 5.2).




Figure 5.2: Web Form

1. Enter details as required.
2. If any data that is entered does not conform to the validation defined for the field, a message is displayed. (see Figure 5.3).




Figure 5.3: Validation Message


3. Once you have entered all details, click appropriate button to submit the application. It performs the action specified while creating the application (either triggering a process flow or starting another application).

MY MONITOR

6 MONITORING SOLUTIONS

In this section of Adeptia Suite, all **process flows (which are not started from another process flow)** are referred to as **Solutions**.

Adeptia Suite allows you to view, execute and monitor instances of all process flows. It provides details of all instances of process flows within a specified date range. Additionally, it also displays details of all tasks associated with a selected process flow.

 The child process flows are not displayed separately. However, the information related to their tasks is included in their parent process flows.

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√		

Steps to monitor solutions

1. Click **[+] My Monitor** to expand the tree and then click **Solutions**. This displays the Solution Monitor screen (see Figure 6.1).




Figure 6.1: Solution Monitor

2. This screen displays execution information of various solutions and their details as on the current date.
3. You can also view solutions within a specific date and time range. Click (📅) icon in the upper right corner of the screen. This displays the date and time range fields (see Figure 6.2).










Figure 6.2: Date and Time Range

4. Click **Calendar** icon () to enter the date range and enter the time in the respective fields. Once done, click **Apply** button. This displays the process flows and their details conforming to the specified time range.

The Solutions screen is divided into three panes:


- [Solutions](#)
- [Solution Details](#)
- [Solution Instances](#)


SOLUTIONS

Solutions							Showing results 1 of 2
#	Name	Description	Completed	In-Progress	Failed	Open Tasks	
1	 EvalXform_ProcessFlow	Process Flow to transfer data from DB to Excel	0	3	0	3	
2	 RequisitionWorkflow	automate requisition process	0	0	3	0	
3	 ProcessPolicydata_for_Point	process and load Policy data to Point	0	0	0	0	
4	 EvalPD_ProcessFlow	purchase order processing	0	0	0	0	
5	 EvalScript_ProcessFlow	Process Flow to Concatenate Employee records	0	0	0	0	

Next >>

Figure 6.3: Solutions

This pane displays information of all active process flows conforming to the specified date and time range (if specified). However, it does not display information of any child or sub process flows of a parent process flow. You can execute a process flow by clicking **Start Solution** () icon.



 The **Start Solution** icon appears only for those process flows for which you have the *execute* permission.

All details of the process flow are displayed. In addition to the name and description of the process flow, it also displays the count of instances of the process flow. It displays the count for the following solutions:

- Completed and executed successfully
- Currently running, or are in progress
- In waiting or queued state, and
- Failed or were aborted

Additionally, if the process flow comprises of a human workflow task which has been initiated, but is yet to be completed, it is displayed in the *Open Tasks* column. If the task is due today, then it displays the count of the currently running tasks of all instances of the process flow. It will be displayed until the current task that is running is completed. However, if the task is not due on the current date (and a check is being made for a date that has already passed), then NA is displayed. These tasks could be in queued or overdue state.

The count of tasks includes the tasks of the parent process flow and all its child sub-process flows too. Thus, for example if a process flow displays 9 open tasks, of which 4 tasks are displayed as in-progress, then it could indicate that the remaining tasks belong to the child processes of the parent process flow.

	<p>By default, process flows are displayed as sorted on the current date and the first process flow is displayed as selected. If you select any process flow and click Refresh () icon in the upper right-corner of the screen, all the sections will be refreshed with latest information.</p> <p>A total of 5 solutions are displayed at a time. However, if there are more than 5 solutions, then you can click the <Next> or <Previous> links to navigate the solutions list. At the top right corner of the Solutions section, the total number of pages of the solutions list is displayed.</p>
--	---


Solution Dashboard


You can track process variables defined for a process flow using the *Process Variable Tracker* feature defined in the Solution Dashboard. This enables you to search for a particular process variable at any time. However, these variables will appear in the Solution Dashboard and can be tracked only when the developer selects the *Track Variables* and *Retain Variable XML* options in the Process Designer, while designing the process flow. For details, refer to the *Creating Process Flow* section in the *Developer Guide*.

When you execute a process flow, the Process Variable Tracker checks process flow variables defined for the process flow and inserts their values in the Process Tracker tables. You can view this data in the Solution Dashboard.

Viewing Solution Dashboard

Steps to view Solution Dashboard

1. Click **Solution Dashboard** () icon against the process flow whose dashboard you want to view, in the Solutions screen. This displays the Solution Dashboard screen. (see Figure 6.4)






Solution Dashboard			
Today 			
Solution : EvalXform_ProcessFlow		--Select--	Search
EvalXform_ProcessFlow			
Instance Name	Var3	var1	var2
Process Flow to transfer data from DB to Excel			
Process Flow to transfer data from DB to Excel		100	
Process Flow to transfer data from DB to Excel	\$input\$	100	"dollar"

Figure 6.4: Solution Dashboard

2. This screen displays all process variables defined (for all parent and child process flows) for all instances of the selected process flow. It displays the instance name of the parent flow (or overridden description, if it is overridden by the developer at design time). This screen is divided into two parts:
 - Search Criteria
 - Process Variable Data
3. You can search for process flows and their variables, based on the date and time range by clicking () icon in the upper right corner of the screen. This displays the date and time range fields (refer to Figure 6.2). Enter the date range and enter the time in the respective fields. Once done, click **Apply** button. This displays the process flows and their process variable details conforming to the specified time range.
4. Alternately, you can search for process flows and their variables, based on the Process Variable search criteria. Select the process variable name that you want to search, from the *Select* drop-down menu. Then, enter some search criteria (such as name of variable) in the text field, and click **Search** button. This displays the process flow(s) with the specified process variable (see Figure 6.5).

 You can enter wildcards in the search criteria text field.





Figure 6.5: Searched Solutions based on Process Variable Search

 This screen will show the last updated value of the process flow variable.

- You can click the *Instance Name* link to view the instance details in the of Process Flow History screen (refer to Figure 6.10)

SOLUTIONS DETAILS



Figure 6.6: Graphical Display of Selected Solution

This section displays the graphical display of all instances and tasks associated with the selected process flow. It displays four types of graphs:

- [Solution Start Trend](#)
- [Task Completion Trend](#)
- [Current Tasks Status](#)
- [Current User Workload](#)

Solution Start Trend

This graph displays a start trend of the instances of the selected process flow, which were initiated in the last 10 days (including today). This information helps in assessing the anticipated workload, which in turn helps in efficient planning.

Task Completion Trend

This graph displays a representation of tasks associated the selected process flow, which were completed in the last 5 days and those which are due in the next 5 days related to the date of the selected process flow. The completed tasks are depicted in blue and the due tasks are depicted in orange (which includes tasks due for today).

This information helps in analyzing the recent trend of tasks.

Current Tasks Status

This graph displays a representation of status of the running tasks of the selected process flow, as on the current day. Tasks that are running but are not due for completion today are referred to have an *On Track* status and are depicted in green color. Tasks that are running and are due for completion today are referred to have an *At Risk* status and are depicted in orange color. Tasks that are running and are already overdue are referred to have an *Over Due* status and are depicted in red color. This information helps analyze the performance rate and compare the number of tasks that are on track and try to reduce the number of tasks that are overdue.

Current User Workload


This graph displays a representation of the current tasks assigned to each user associated with selected process flow. You can assign tasks to either user group, referred to as business roles, or simply to an individual user. If you assign tasks of a process flow to a business role, then this graph will display the business role bar for the selected process flow. Else, if you assign tasks of a process flow to individual users, then this graph will display the different bars representing each user. However, if you assign tasks to both business roles and users then this graph will display bars for both, the business roles and the users.


SOLUTION INSTANCES

Solution Instances						Showing results 1 of 1
# ▲	Description	Status	Started By	Start Time	Duration	
1	 Process Flow to transfer data from DB to Excel	Waiting	admin	07/14/2009 21:32:29	4 min	
2	 Process Flow to transfer data from DB to Excel	Waiting	admin	07/14/2009 21:28:00	9 min	
3	 Process Flow to transfer data from DB to Excel	Waiting	admin	07/14/2009 21:21:29	15 min	

Figure 6.7: Solution Instances of Selected Solution

This section displays information of all instances of the selected process flow conforming to the specified date and time range (if specified). It displays a dynamic description of the instance, clicking on which will display a history of all tasks associated with this instance. For details, refer to [Task History of Process Flow](#) section. Additionally, this section also displays the current status of the selected process flow instance, the name of the person who executed this instance, the start time of the instance and its total execution time.

 The instances which are queued but not yet executed are not displayed in this section. However, they are included in the count of *In-Progress* column, in the *Existing Solutions* section.

At any time, you can terminate a process flow by clicking () icon. When you click this icon, a confirm terminate screen is displayed (see Figure 6.8).





Figure 6.8: Confirm Terminate

If you click **OK**, then it will display a message in the selected instance, till the time the process flow is aborted. (see Figure 6.9).

Solution Instances						Showing results 1 of 1
# ▲	Description	Status	Started By	Start Time	Duration	
1	 Process Flow to transfer data from DB to Excel Please wait. Terminating solution... Refresh	Waiting	admin	07/14/2009 21:32:29	4 min	
2	 Process Flow to transfer data from DB to Excel	Waiting	admin	07/14/2009 21:28:00	9 min	
3	 Process Flow to transfer data from DB to Excel	Waiting	admin	07/14/2009 21:21:29	15 min	

Figure 6.9: Terminate Solution

Click **Refresh** to refresh the screen and proceed.



If you try to execute this process flow from another window, then a screen with the message, "Your request cannot be submitted" is displayed.

Only users with *execute* permission or admin rights can terminate a process flow.

Task History of Process Flow

You can view all tasks that are associated with a process flow. When you click on the description of the process flow instance, then the Task History screen is displayed (see Figure 6.10).


Solution History > Claims Process for Simulation Demo									
Solution									
Detail Log Execution View									
Name	ClaimsManagementProcess2				Instance Name	Claims Process for Simulation Demo			
Start Time	07/10/2009 12:41:35				End Time	N/A			
Status	Waiting								
Tasks									
View History View Business Data									
#	Name	Description	Current Owner	Status	Completion Date	Priority	SubProcess		
1	Claim_Amount_review	review	Paula	Task is due on 07/11/2009 13:43	N/A	normal			
Documents									
All Revisions									
Name	Revision	Related Task	Uploaded By	Uploaded Date					
No Document available									
Close Window									

Figure 6.10: Task History

This screen displays details of all tasks related to the selected process flow. It also includes details of tasks for all child processes of the process flow. This information is included in the *sub Process* column and is provided as a link. Clicking this link will display all details of the tasks associated with the child process.

7 MONITORING USER PERFORMANCE

Adeptia Suite allows you to view and monitor the performance of users. It provides details of all instances of tasks assigned to a user or business role. Additionally, it also displays the task history of process flows associated with the tasks, within a specified date range. .

	Task details are displayed for only those users who are members of the group of the logged-in user.
---	---

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√		

Steps to monitor user performance

1. Click **[+] My Monitor** to expand the tree and then click **User Performance**. This displays the User Performance screen (see Figure 7.1 **Error! Reference source not found.**).




Figure 7.1: User Performance Monitor

2. This screen displays execution information of various tasks assigned to users and their details as on the current date.
3. You can also view users' performance within a specific date and time range.

Click (📅) icon in the upper right corner of the screen. This displays the date and time range fields (refer to Figure 6.2).

4. Click **Calendar** icon (📅) to enter the date range and enter the time in the respective fields. Once done, click **Apply** button. This displays the users and their task details conforming to the specified time range.

The User Performance screen is divided into three panes:

- [Task Queues](#)
- [Task Queue Details](#)
- [Detailed Task Queue](#)

TASK QUEUES

Task Queues							Showing results 1 of 2	
# ^	Name	Type	Description	Completed	OverDue (Expired)	Open Now (Shared)	DueToday	OverDue Now
1	employee	User	employee creates Requisition request	0	0(0)	1(0)	1	0
2	supervisor	User	Supervisor approval	0	0(0)	2(0)	1	0
3	gadmin	User	Group Admin	0	0(1)	0(0)	0	0
4	dept_manager	User	Department Manager	0	0(0)	0(0)	0	0
5	po_manager	User	Purchase Dept manager	0	0(0)	0(0)	0	0

Next >>

Figure 7.2: Task Queues


This pane displays information of all tasks assigned to active users belonging to the group of the logged-in user and conforming to the specified date and time range (if specified).


All details of the tasks assigned to users are displayed. In addition to the name and type of users and their description, it also displays the count and status of tasks assigned to the users. It displays the count for the following tasks:

- Completed and executed successfully
- Overdue or expired
- Open currently and shared
- Due Today
- Overdue Now

If a task that is assigned to a user which was overdue and has expired, it is displayed in *Overdue (Expired)* format. For example, if 2 tasks were overdue, of which one has now expired then it is displayed as 2 (1).

A task that is assigned to more than one user is referred to as a shared task. If a task is open and is a shared task, it is displayed in Open (Shared) format. For example, if 2 tasks are open for a user, of which one is individually assigned and the other is a shared task, then it is displayed as 2 (1).



By default, tasks are displayed as sorted on the current date and the first user is displayed as selected. You can sort the tasks in ascending or descending order. Additionally, if you select any user and click **Refresh** () icon in the upper right-corner of the screen, all the sections will be refreshed with latest information.

A total of 5 users are displayed at a time. However, if there are more than 5 users, then you can click the **<Next>** or **<Previous>** links to navigate the users list. At the top right corner of the Task Queues section, the total number of pages of the users list is displayed.

TASK QUEUE DETAILS




Figure 7.3: Graphical Display of Selected User

This section displays the graphical display of all tasks assigned to the selected user. It displays two types of graphs:

- [Task Completion Trend](#)
- [Current Tasks Status](#)

Task Completion Trend

This graph displays a representation of tasks assigned to the selected user, which were completed in the last 5 days and those which are due in the next 5 days related to the current date or specified date range. The completed tasks are depicted in blue and the due tasks are depicted in orange (which includes tasks due for today).

This information helps in analyzing the recent trend of tasks.

Current Tasks Status

This graph displays a representation of status of the running tasks of the selected user, as on the current day. Tasks that are running but are not due for completion today are referred to have an *On Track* status and are depicted in green color. Tasks that are running and are due for completion today are referred to have an *At Risk* status and are depicted in orange color. Tasks that are running and are already overdue are referred to have an *Over Due* status and are depicted in red color. This information helps analyze the performance rate of the selected user and compare the number of tasks that are on track and try to reduce the number of tasks that are overdue.

DETAILED TASK QUEUE


Detailed Task Queue							Showing results 1 of 1
#	Process Name	Description	Task Name	Priority	Due Date	Duration	Task Status
1	EvalXform_ProcessFlow	Task to approve the purchase requisition	Purchase_Approval	immediate	07/14/2009 22:21	22 min	Assigned

Figure 7.4: Detailed Task Queue of Selected User

This section displays information of all tasks assigned to the selected user, conforming to the specified date and time range (if specified). It displays a dynamic description of the process flow instance associated with tasks of the selected user. Clicking the process flow will display a history of all tasks associated with this instance. For details, refer to [Task History of Process Flow](#) section. Additionally, this section also displays the description of the process flow, name of task associated with the process flow, priority of the task, due date and time for the task, duration of task and task status.

8 VIEWING USAGE REPORT

Adeptia Suite allows you to view the performance report of a user group. It provides details of performance for current repository, process execution and data integration execution for the current month or within a specified date range. .

	Performance report is displayed for the whole group of which the logged-in user is a member.
---	--

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√	√	√

Steps to monitor usage report

1. Click **[+] My Monitor** to expand the tree and then click **Usage Report**. This displays the Usage Report screen (see Figure 8.1).




Usage Report for administrators				This Month 
Current Repository Summary				
Process Models	1	Solutions	10	
Process Flows	10	Forms	1	
User Accounts	7			
Process Execution Summary				
Solutions Executed	20	Events Triggered	0	
Process Flows Executed	20	Workflow Tasks Started	27	
User Logins	23			
Data Integration Execution Summary				
Sources Accessed	8	Targets Accessed	9	
Data Mappings Executed	6	Web Services Called	0	
Number of Files Processed	4	Data Volume Processed	3322 Bytes	

Figure 8.1: Usage Report

2. This screen displays a performance summary of the selected group till the current date in the current month.
3. You can also view the report within a specific date and time range. Click () icon in the upper right corner of the screen. This displays the date and time range fields (refer to Figure 6.2).

4. Click **Calendar** icon () to enter the date range and enter the time in the respective fields. Once done, click **Apply** button. This displays the usage report conforming to the specified time range.

The Usage Report screen is divided into three panes:

- [Current Repository Summary](#)
- [Process Execution Summary](#)
- [Data Integration Execution Summary](#)

CURRENT REPOSITORY SUMMARY

Current Repository Summary			
Process Models	1	Solutions	10
Process Flows	10	Forms	1
User Accounts	7		

Figure 8.2: Current Repository Summary


This pane displays total counts of performance of admin and the group user in various areas of repository. It displays the total number of Process Models created by the selected group. Additionally, it also displays the total number of Solutions (Parent Process Flows), and number of Process Flows (which includes Parent and Child Process Flows) created by the group. Further, it displays the total number of forms (which includes the custom application activities) and total count of users created by the group.

PROCESS EXECUTION SUMMARY

Process Execution Summary			
Solutions Executed	30	Events Triggered	0
Process Flows Executed	30	Workflow Tasks Started	27
User Logins	24		

Figure 8.3: Process Execution Summary

This pane displays total counts of execution performance details of admin and the group user. It displays the total number of solution instances that have been executed (Executed, Aborted and Failed) for the selected group. It also displays the total number of process flow instances (Parent and Child Process Flows) that have been executed for the group. Additionally, it also displays the total count of events that have been triggered in the group. Further, it displays the total number of workflow tasks started in the selected group and the number of times users of this group have logged into Adeptia Suite.

	All activities that are used in process flow execution are counted, irrespective of the activity being successful or unsuccessful.
---	--

DATA INTEGRATION EXECUTION SUMMARY

Data Integration Execution Summary			
Sources Accessed	8	Targets Accessed	9
Data Mappings Executed	6	Web Services Called	0
Number of Files Processed	4	Data Volume Processed	3322 Bytes

Figure 8.4: Data Integration Execution Summary

This pane displays total counts of execution performance details for admin and the group user in different areas of data integration. It displays the total number of Source activities created and target activities accessed by the selected group. Additionally, it also displays the total number of data mapping activities and web service activities used by the group. Further, it displays the total number of source file (File, Mail, FTP and LAN File) activities created for the selected group. It also displays the total amount of data (in Bytes) that is processed by all sources and web service activities that is used for the selected group.

All activities that are used in process flow execution are counted, irrespective of the activity being successful or unsuccessful.

You can refresh all the sections will be refreshed with latest information by clicking **Refresh** () icon in the upper right-corner of the screen.

9 VIEWING PROCESS FLOW REPORT

Adeptia Suite allows you to view a customized process flow report.

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√		

Steps to view process flow report

1. Click **[+] My Monitor** to expand the tree and then click **Reports**. This displays the Reports screen (see Figure 9.1).






Figure 9.1: Reports


2. Click the radio button against the report that you want to generate and then click **Execute**. This displays the Standard Process Flow Report screen (see Figure 9.2).



Reports > StandardProcessflowReport


Select ProcessFlow Name: * Select One

Start Date (MM/DD/YYYY) 07/10/2009  Start Time (hh:mm) 00 00

End Date (MM/DD/YYYY) 07/10/2009  End Time (hh:mm) 23 24

Submit

Figure 9.2: Standard Process Flow Report

3. Select the process flow name from the drop-down list.
4. Enter the Start Date, End Date, Start time and End time in their respective fields. Click **Calendar** icon () to enter the date range and enter the time in the respective fields.
5. Click **Submit**. This displays the Process Flow report in the Jasper Viewer (see Figure 9.3).

Jasperviewer

Process Flow Execution Report

Report Between **Fri, Jul 10, '09 12:00:00 AM** and **Fri, Jul 10, '09 11:24:21 PM**
 Generated by - admin Generated on: **Fri, Jul 10, '09 11:30:00 PM**

Process Flow: EvalXform_ProcessFlow

Activity Name	Activity Type	Activity Status	Time (in Sec)
Executed at: Fri, Jul 10, '09 03:18:54 PM			
EvalXform_DBSource	DatabaseSource	Executed	0.19
EvalXform_Mapping	DataMapping	Executed	1.77
EvalXform_ExcelSchema	XmlStream2StreamTransformer	Executed	1.06
EvalXform_FileTarget	FileTarget	Executed	0.05
EvalXform_NativeCall	NativeCall	Executed	0.09
Time taken by transaction (in sec): 5.47			
Executed at: Fri, Jul 10, '09 03:22:24 PM			
EvalXform_DBSource	DatabaseSource	Executed	0.12
EvalXform_Mapping	DataMapping	Executed	1.03
EvalXform_ExcelSchema	XmlStream2StreamTransformer	Executed	1.02
EvalXform_FileTarget	FileTarget	Executed	0.01
EvalXform_NativeCall	NativeCall	Executed	0.02
Time taken by transaction (in sec): 4.45			
Executed at: Fri, Jul 10, '09 04:27:24 PM			
EvalXform_DBSource	DatabaseSource	Executed	0.22
EvalXform_Mapping	DataMapping	Executed	1.05
EvalXform_ExcelSchema	XmlStream2StreamTransformer	Executed	2.09
EvalXform_FileTarget	FileTarget	Executed	0.09
EvalXform_NativeCall	NativeCall	Executed	0.11
Time taken by transaction (in sec): 6.22			

Page 1 of 3

Figure 9.3: Process Flow Report in Jasper Viewer

HISTORY

10 VIEWING ADEPTIA SERVER LOGS

The information of the Adeptia Suite, process flows and activities are stored in the Adeptia Server Logs. There are three levels of logging:

- **ERROR:** This is the minimal setting. The following message types are logged:
 - **SEVERE** errors are the ones that cause premature termination.
 - **ERROR** and **FATAL** type messages deal with other runtime errors or unexpected conditions.

- **INFO:** This is the typical setting. It is the default setting in both the properties file and at the Process flow creation. The following message types are logged:
 - All messages as defined in the **ERROR** category.
 - **Warning (WARN)** messages such as runtime situations that are undesirable or unexpected, but not necessarily "wrong" will be logged.
 - All Process flow Start and End messages.
 - Detailed information about each Process flow and activity details (**INFO**) will be logged such as start and end time for each activity/module/node, number of records processed etc.

- **DEBUG:** This is the most detailed setting. It is expected that the user will want this level of detail to help with tracing errors, and troubleshooting. The following message types are logged:
 - All messages as defined in the **ERROR** category.
 - All messages as defined in the **INFO** category.
 - Detailed messages for each module, activity or node as it is executed including trace messages and flow information.
 - Display of Process flow global variables after end of every activity.
 - Any other information that may be helpful in debugging.

The Adeptia Suite logs are classified into four categories:

- [Audit Trail Log](#)
- [Event Log](#)
- [System Log](#)
- [Process Flow Log](#)


Access Control to Logs

Log information that is displayed in the Adeptia Server logs is not filtered as per the user's permissions. Every user with the minimal read permissions can view the logs. Only the logs specific to the Users group are displayed to them. A user cannot view log information for other Groups.

11 VIEWING AUDIT TRAIL LOG

Audit Trail log maintains a log of all changes made to the Adeptia Suite activities. These changes include creating, editing, deleting and saving of activities. Additionally, it also includes comments, change of password and login/logout details.

You can view the Audit Trail log for a specific period by entering search criteria.

 Only the *Admin* and *SysAdmin* are authorized to view the Audit Trail log.

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√	√	√

Steps to view Audit Trail Logs

1. Click **[+]** **History** to expand the tree and then click **Audit Trail**. The Audit Trail Log screen is displayed (see Figure 11.1).






Figure 11.1: Audit Trail Log (Search Criteria)

2. Enter the start date and start time in the *Start Date* and *Start Time* fields respectively.
3. Enter the end date and end time in the *End Date* and *End Time* fields respectively.

 Click **Calendar** icon  to select the *Start Date* and *End date* from calendar.

4. Select the user group and the user whose audit trail you want to view, from the *Group Name* and *User Name* drop-down lists respectively.
5. Select the audit type that you want to view, from the *Audit* drop-down list. You can view the audit trail log for either objects or Login/Logout details or both audit types. The Objects audit type displays all changes made to the

Adeptia Suite activities, whereas the Login/Logout audit type displays only login/logout details. By default, both audit type details are displayed.

- To view the audit log for the entered criteria, click **Submit** button. The audit log information for the selected criteria is displayed (see Figure 11.2).


History > Audit Trail							
Search Criteria							
Start Date	07/10/2009	Start Time	00 : 00	End Date	07/10/2009	End Time	23 : 59
Group Name	Select All	User Name	Select All	Audit	Select All	<input type="button" value="Submit"/>	
Date/Time	Message	Location	LogLevel	UserID	GroupID		
07/10/2009 22:48:43	admin [administrators] logged-in at 2009-07-10 10:48:43.046 Human Workflow Activity: "ReviewClientDetails (192168001002124627070842100004) " Updated Successfully	com.adeptia.indigo.web.SessionLoginContext. valueBound(SessionLoginContext.java:128)	INFO	admin	administrators		
07/10/2009 19:56:07	Human Workflow Activity: "Claim_Amount_review (192168001002124644674613200003) " Updated Successfully	com.adeptia.indigo.storage.jdo.JdoEntityMana ger.update(JdoEntityManager.java:1999)	INFO	admin	administrators		
07/10/2009 19:55:35	Human Workflow Activity: "LossAdjustor (192168001002124644674613200006) " Updated Successfully	com.adeptia.indigo.storage.jdo.JdoEntityMana ger.update(JdoEntityManager.java:1999)	INFO	admin	administrators		
07/10/2009 19:55:24	Human Workflow Activity: "LossAdjustor (192168001002124644674613200006) " Updated Successfully	com.adeptia.indigo.storage.jdo.JdoEntityMana ger.update(JdoEntityManager.java:1999)	INFO	admin	administrators		
07/10/2009 19:54:56	User Activity: "George (192168001004124723589631200006) " Created Successfully	com.adeptia.indigo.storage.jdo.JdoEntityMana per.createEntity (JdoEntityManager.java:299)	INFO	admin	administrators		
07/10/2009 19:52:47	User Activity: "Jack001 (192168001004124723576775000002) " Created Successfully	com.adeptia.indigo.storage.jdo.JdoEntityMana per.createEntity (JdoEntityManager.java:299)	INFO	admin	administrators		
07/10/2009 19:46:52	admin [administrators] logged-in at 2009-07-10 07:46:52.234 Human Workflow Activity: "LossAdjustor (192168001002124644674613200006) " Updated Successfully	com.adeptia.indigo.web.SessionLoginContext. valueBound(SessionLoginContext.java:128)	INFO	admin	administrators		
07/10/2009 16:54:03	Human Workflow Activity: "LossAdjustor (192168001002124644674613200006) " Updated Successfully	com.adeptia.indigo.storage.jdo.JdoEntityMana ger.update(JdoEntityManager.java:1999)	INFO	admin	administrators		
07/10/2009 16:53:21	Human Workflow Activity: "LossAdjustor (192168001002124644674613200006) " Updated Successfully	com.adeptia.indigo.storage.jdo.JdoEntityMana ger.update(JdoEntityManager.java:1999)	INFO	admin	administrators		

1 2 3 <Next> <Last>

Page 1 of 3 Record 1 - 10 of total 25 records

Figure 11.2: View Audit Trail Log

- In case Log Level is **ERROR**, you can click **ERROR** link to view the details of the error.



By default, 10 logs are displayed at a time. If there are more than 10 logs, then you can navigate between pages by clicking the <First>, <Previous>, <Next>, <Last> or <Page Number> links. You can also enter the page number directly in the field below and click Go. It will display the specified page number.

12 VIEWING EVENT LOG

Event log displays only those messages, which related to the Triggers and Events of the Adeptia Suite.

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√	√	√

Steps to view Event Logs

1. Click **[+] History** to expand the tree and then click **Event Log**. The Event Log screen is displayed (see Figure 12.1).






Figure 12.1: Event Log (Search Criteria)

2. Enter the start date and start time in the *Start Date* and *Start Time* fields respectively.
3. Enter the end date and end time in the *End Date* and *End Time* fields respectively.


Click **Calendar** icon  to select the *Start Date* and *End date* from calendar.

4. Select the logging level from the *Select Level* options.
5. To view the logs for the time interval defined above, click **Submit** button. The log information for the selected time interval is displayed (see Figure 12.2).

History > Event Log							
Search Criteria							
Start Date	<input type="text" value="07/11/2009"/>	Start Time	<input type="text" value="00"/> : <input type="text" value="00"/>	End Date	<input type="text" value="07/11/2009"/>	End Time	<input type="text" value="23"/> : <input type="text" value="59"/>
Select Level: <input type="radio"/> ERROR <input checked="" type="radio"/> INFO <input type="radio"/> DEBUG <input type="button" value="Submit"/>							
Date/Time	Message	Location	LogLevel	UserID	GroupID		
07/11/2009 00:35:51	DEFAULT_autoLogCleanup will run at: Sat Jul 11 20:00:00 IST 2009	com.adeptia.indigo.event.QuartzEventFactory. .activateAutoLogCleanupService (QuartzEventFactory.java:408)	INFO	admin	administrators		
07/11/2009 00:35:51	Auto Data Cleanup scheduled	com.adeptia.indigo.event.QuartzEventFactory. .activateAutoCleanupService (QuartzEventFactory.java:382)	INFO	admin	administrators		
07/11/2009 00:35:51	DEFAULT_autoCleanup will run at: Sat Jul 11 20:00:00 IST 2009	com.adeptia.indigo.event.QuartzEventFactory. .activateAutoCleanupService (QuartzEventFactory.java:376)	INFO	admin	administrators		

Figure 12.2: View Event Log

13 VIEWING SYSTEM LOG

System log displays messages related to the Adeptia Suite system. It also includes change of password and login/logout details.

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√	√	√

Steps to view System Logs

1. Click **[+]** **History** to expand the tree and then click **System Log**. The System Log screen is displayed (see Figure 13.1).






Figure 13.1: System Log (Search Criteria)

2. Enter the start date and start time in the *Start Date* and *Start Time* fields respectively.
3. Enter the end date and end time in the *End Date* and *End Time* fields respectively.



Click **Calendar** icon  to select the *Start Date* and *End date* from calendar.

4. Select the logging level from the *Select Level* options.
5. To view the logs for the time interval defined above, click **Submit** button. The log information for the selected time interval is displayed (see Figure 13.2).


History > System Log							
Search Criteria							
Start Date	07/11/2009	Start Time	00 : 00	End Date	07/11/2009	End Time	23 : 59
Select Level: <input type="radio"/> ERROR <input checked="" type="radio"/> INFO <input type="radio"/> DEBUG <input type="button" value="Submit"/>							
Date/Time	Message	Location	LogLevel	UserID	GroupID		
07/11/2009 00:36:52	admin [administrators] logged-in at 2009-07-11 12:36:52.500 SOAP Request on server <?xml version="1.0" encoding="UTF-8" ?> <soap:envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> <deployment name="rest" xmlns="http://xml.apache.org/axis/wsdd/providers/jaxa" xmlns:os="http://www.w3.org/2000/10/XMLSchema-instance"> <service name="WsTrigger" style="message" parameterName="className" value="WsTransactionTrigger" - wsdlFile="service" /> </deployment> </soap:envelope>	com.adeptia.indigo.web.SessionLoginContext.valueBound(SessionLoginContext.java:128)	INFO	admin	administrators		
07/11/2009 00:36:18	MessageContext on server org.apache.axis.MessageContext@dabcea	com.adeptia.indigo.services.webservice.RequestSecurityHandler.invoke (RequestSecurityHandler.java:104)	INFO	admin	administrators		
07/11/2009 00:36:17	MLet registered MBean: org.mortbay.jetty.plus.Server	com.adeptia.indigo.WebRunner.checkMBeansLoadedSuccessfully(WebRunner.java:206)	INFO	admin	administrators		
07/11/2009 00:36:17	MLet registered MBean: org.mortbay.util.Code	com.adeptia.indigo.WebRunner.checkMBeansLoadedSuccessfully(WebRunner.java:206)	INFO	admin	administrators		
07/11/2009 00:36:17	MLet registered MBean: org.mortbay.util.Log	com.adeptia.indigo.WebRunner.checkMBeansLoadedSuccessfully(WebRunner.java:206)	INFO	admin	administrators		
07/11/2009 00:36:10	Root WebApplicationContext: initialization completed in 1015 ms	org.springframework.web.context.ContextLoader.initWebApplicationContext (ContextLoader.java:198)	INFO	admin	administrators		
07/11/2009 00:36:10	Pre-instantiating singletons in org.springframework.beans.factory.support.DefaultListableBeanFactory@a6d35: defining beans [globalConfig.pageLinksPatternA.pageLinksPatternB.pageLinksPatternYahoo.searchSystemLogAction.queryTemplate]; root of factory hierarchy	org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons (DefaultListableBeanFactory.java:276)	INFO	admin	administrators		
07/11/2009 00:36:09	Bean factory for application context [org.springframework.web.context.support.XmlWebApplicationContext@42364f]	org.springframework.beans.factory.support.DefaultListableBeanFactory@a6d35	INFO	admin	administrators		

1 2 3 4 5 <Next> <Last>

Page 1 of 5 Record 1 - 10 of total 45 records

Figure 13.2: View System Log

6. In case Log Level is ERROR, you can click **ERROR** link to view the details of the error.



By default, 10 logs are displayed at a time. If there are more than 10 logs, then you can navigate between pages by clicking the <First>, <Previous>, <Next>, <Last> or <Page Number> links. You can also enter the page number directly in the field below and click Go. It will display the specified page number.

14 VIEWING PROCESS FLOW LOG

The Process Flow log displays all details about the process flow execution and its associated activities. It also displays the status of the associated (Parent or Child) Process Flow.

In the Adeptia Suite this feature is available in:

BPM Suite	Workflow Suite	Integration Suite	ETL Suite
√	√	√	√

Steps to view Process Flow log

1. Click **[+] History** to expand the tree and then click **Process Flow Log**. The Process Flow Log screen is displayed (see Figure 14.1).







Figure 14.1: Process Flow Log (Search Criteria)

2. Enter the start date and start time in the *Start Date* and *Start Time* fields respectively.
3. Enter the end date and end time in the *End Date* and *End Time* fields respectively.

 Click **Calendar** icon  to select the *Start Date* and *End date* from calendar.


4. Select the Process flow from the *Process Flow Name* drop-down list.

 In the *Process Flow Name* drop-down list, process flows are listed based on their time of execution. The process flow which has executed recently is listed first. To sort process flows based on their name, click **Sort By Name** button. This sorts the process flows based on their name and changes the button to **Sort By Date**. Again, to sort the process flows based on their execution date, click **Sort By Date** button.

5. Select the process flow status whether Executed, Aborted, Successful, Queued, Running or Waiting from the Status drop-down list.

6. To view the logs for the time interval defined above, click **Details** button. The log information for the selected time interval is displayed with the following information:

- Parent/Child (whether the Process Flow is a Parent, Child, both or none)
- Process Flow Name
- Description
- Status
- User ID
- Start Time
- End Time
- Action



In Process Flow log, maximum 500 records are shown.

7. If the process flow is still running, then clicking **Details** button displays the Process Flow Logs with a **Context Info** link (see Figure 14.2).

Reports > Process Flow Log

Search Criteria

Start Date
 Start Time :
 End Date
 End Time :

Process Flow Name
 Status

P/C	Process Flow Name	Description	Status	User ID	Start Time	End Time	Action
C	EvalScript_ProcessFlow	Process Flow to Con...	Running	admin	09/13/2007 16:37:48	NA	Details Repository Summary Context Info
C	EvalScript_ProcessFlow	Process Flow to Con...	Executed	admin	09/13/2007 16:23:32	09/13/2007 16:23:37	Details Repository Summary

Figure 14.2: View Process Flow Log (Running)

8. Clicking **Context Info** displays the Process Flow Context Information screen (see Figure 14.3).

Process Flow Context Information

Process Flow Name: cust **Date:** Sat Jul 11 01:01:50 IST 2009

Process Flow System Variables

#	Name	Value
1	LoggingLevel	DEFAULT
2	TransactionAddress	localhost://indigo.Transaction[192168001002124627356653100001! 192168001004124721951285900126];type=Transaction,name=cust,id=1 92168001002124627356653100001,pid=192168001004124721951285900126
3	currentState	state-BPMN:TASK:BASIC_TASK-27425426

Process Flow User Variables

#	Name	Value
1	TX.RecoverablePoint	HWF_CHKP1
2	TX.RecoverableStage	null
3	TX.TransactionMode	recoveryMode

Service Addresses

#	Service Name	Address
1	ReviewClientDetails	localhost://indigo.Transaction[192168001002124627356653100001! 192168001004124721951285900126];type=HumanInteraction,name=Revi ewClientDetails,id=192168001002124627070842100004,pid=192168001004124725275901500023

Close Window

Figure 14.3: Process Flow Context Information

9. Click **Close Window** button to close this screen and return to the Process Flow Log screen.
10. To view execution details of each activity of the process flow, click **Details** link in the View Process Flow Log (Running) screen. The Process Flow Log Detail screen is displayed (see Figure 14.4). This screen is divided into two parts: *Process Flow Log Details* and *Parent/Child Process Flow Log Details*. The first part shows the details of the selected process flow. The second part shows the list of Parent or Child Process flow of the selected process flow. Following details are shown in Process Flow Log Details screen:
 - Process Flow Name
 - Process Flow PID
 - Process Flow Log Details
 - Date/Time
 - Activity Name
 - Activity Type
 - Status
 - Message
 - Level
 - Location
 - Activity ID
 - Activity PID
 - User ID
 - Group ID


Process Flow Log Detail - Windows Internet Explorer

Process Flow Name: EvalScript_ProcessFlow
Process Flow PID: 192168001002124755819531200001

Date/Time	Activity Name	Activity Type	Status	Message	Level	Location	Activity ID	Activity PID
07/14/2009 13:26:58	EvalScript_ProcessFlow	Transaction	Executed	Activity disposed, Start Time:2009-07-14 13:26:37 End Time:2009-07-14 13:26:58 Run Time:20 second(s) 750 ms	INFO	services.AbstractService.dispose(AbstractService.java:264)	1921680010061155377870829600010	19216800100212475581
07/14/2009 13:26:58	EvalScript_ProcessFlow	Transaction	Running	Context Information: (TransactionAddress=HocsiHost/NoDqg_TransactionId=1921680010061155377870829600010) 192168001002124755819531200001,Type=Transaction,name=EvalScript_ProcessFlow,id=1921680010061155377870829600010,pid=192168001002124755819531200001,currentState=state-BPMN_TASK_BASIC_TASK-11053085, EvalScript_FileTargetParam={MahName=EvalScript_SqlViewData(2009-07-14),LogId=evalScriptView}	INFO	services.AbstractService.dispose(AbstractService.java:202)	1921680010061155377870829600010	19216800100212475581
07/14/2009 13:26:58	EvalScript_FileTarget	FileTarget	Executed	Activity disposed, Start Time:2009-07-14 13:26:55 End Time:2009-07-14 13:26:55 Run Time:52 ms, Operation count:2322 Byte Average:24967.74 operations/sec	INFO	services.AbstractService.dispose(AbstractService.java:264)	192168001006115537667132800002	19216800100212475582
07/14/2009 13:26:55	EvalScript_FileTarget	FileTarget	Running	Execute	INFO	services.AbstractService.dispose(AbstractService.java:489)	192168001006115537667132800002	19216800100212475582
07/14/2009 13:26:55	EvalScript_FileTarget	FileTarget	Running	Initialize	INFO	services.AbstractService.dispose(AbstractService.java:134)	192168001006115537667132800002	19216800100212475582
07/14/2009 13:26:55	Compression	Compression	Executed	Activity disposed, Start Time:2009-07-14 13:26:54 End Time:2009-07-14 13:26:55 Run Time:1 second(s) 172 ms, Operation count:14848 Bytes Average:12668.942 operations/sec	INFO	services.AbstractService.dispose(AbstractService.java:264)	19216800100212475582	
07/14/2009 13:26:54	Compression	Compression	Running	Execute	INFO	services.AbstractService.dispose(AbstractService.java:489)	19216800100212475582	
07/14/2009 13:26:54	Compression	Compression	Running	Initialize	INFO	services.AbstractService.dispose(AbstractService.java:134)	19216800100212475582	
07/14/2009 13:26:53	EvalScript_ExcelSchema	XmlStream2StreamTransformer	Executed	Activity disposed, Start Time:2009-07-14 13:26:50 End Time:2009-07-14 13:26:53 Run Time:3 second(s) 391 ms, Operation count:9 Records Average:2.6240842 operations/sec	INFO	services.AbstractService.dispose(AbstractService.java:264)	19216800100611553771745300006	19216800100212475582
07/14/2009 13:26:50	EvalScript_ExcelSchema	XmlStream2StreamTransformer	Running	Execute	INFO	services.AbstractService.dispose(AbstractService.java:489)	19216800100611553771745300006	19216800100212475582
07/14/2009 13:26:50	EvalScript_ExcelSchema	XmlStream2StreamTransformer	Running	Initialize	INFO	services.AbstractService.dispose(AbstractService.java:134)	19216800100611553771745300006	19216800100212475582
07/14/2009 13:26:50	EvalScript_Mapping	DataMapping	Executed	Activity disposed, Start Time:2009-07-14 13:26:49 End Time:2009-07-14 13:26:50 Run Time:1 second(s) 52 ms, Operation count:4396 Bytes Average:4259.69 operations/sec	INFO	services.AbstractService.dispose(AbstractService.java:264)	192168001006115537762268700008	19216800100212475582
07/14/2009 13:26:49	EvalScript_Mapping	DataMapping	Running	Execute	INFO	services.AbstractService.dispose(AbstractService.java:489)	192168001006115537762268700008	19216800100212475582

Close Window

Figure 14.4: View Process Flow Detail Log

 If a context variable is defined for the process flow, then its details are displayed under the heading Context Information, in the *Message* column.

If an Advance Database Target activity is executed in the process flow, then its record count details are displayed in the *Message* column. To view the log information of the Parent/Child Process Flow, click the required link from the *Action* column of the Parent/Child Process Flow Log Details section.

- To view intermediate repository files of the process flow, click **Repository** link in the View Process Flow Log (Running) screen. A screen is displayed with list of repository files, created during execution of the Process Flow (see Figure 14.5).

Repository listing for [EvalScript_ProcessFlow]

Filename	Size	Last Modified
Compression_default	2 KB	July 14, 2009 13:26:54 IST
ErrorRecordEvalScript_TextSchema.xml	1 KB	July 14, 2009 13:26:49 IST
EvalScript_ExcelSchema_default.xls	14 KB	July 14, 2009 13:26:53 IST
EvalScript_FileSource_default.zip	1 KB	July 14, 2009 13:26:44 IST
EvalScript_Mapping_default.xml	3 KB	July 14, 2009 13:26:49 IST
EvalScript_ScriptedService_default	1 KB	July 14, 2009 13:26:46 IST
EvalScript_TextSchema_default.xml	4 KB	July 14, 2009 13:26:48 IST

PID [192168001002124755819531200001] July 14, 2009 13:30:11 IST

Click on the filename to view the file. To download Right click and use option "Save Target As..."

Close Window

Figure 14.5: Repository screen

12. To open any file from the list, click on the name of the file.
13. Clicking **Summary** link in the *Action* column displays the Process Flow Status screen (see Figure 14.6).

Process Flow Status

Process Flow Name		Process Flow Status	
EvalScript_ProcessFlow		192168001006115537870829600010	
Process Flow ID		192168001002124755819531200001	
Process Flow PID		192168001002124755819531200001	
Status		Executed	
Start Time		07/14/2009 13:26:37 PM	
End Time		07/14/2009 13:26:58 PM	
Process Flow Execution Time		20 second (s) 750 ms	

Activity Name (ID)	Activity Type	Start Time	End Time	Execution Time	Status	Processed Data (Bytes/Records)	Error Records
EvalScript_FileSource (192168001006115537660489000001)	FileSource	07/14/2009 13:26:43 PM	07/14/2009 13:26:44 PM	672 ms	Executed	1063	0
EvalScript_ScriptedService (192168001006115537377390000009)	CustomPlugin	07/14/2009 13:26:44 PM	07/14/2009 13:26:46 PM	2 second (s) 47 ms	Executed	0	0
EvalScript_TextSchema (192168001006115537684214000004)	Stream2XmlStreamTransformer	07/14/2009 13:26:47 PM	07/14/2009 13:26:49 PM	2 second (s) 281 ms	Executed	9	4
EvalScript_Mapping (192168001006115537622687000008)	DataMapping	07/14/2009 13:26:49 PM	07/14/2009 13:26:50 PM	1 second (s) 32 ms	Executed	4396	0
EvalScript_ExcelSchema (19216800100611553771743000006)	XmlStream2StreamTransformer	07/14/2009 13:26:50 PM	07/14/2009 13:26:53 PM	3 second (s) 391 ms	Executed	9	0
Compression (N/A)	Compression	07/14/2009 13:26:54 PM	07/14/2009 13:26:55 PM	1 second (s) 172 ms	Executed	14848	0
PutContextVarTag1 (N/A)	Put-Context-Var	07/14/2009 13:26:55 PM	07/14/2009 13:26:55 PM	203 ms	Executed	0	0
EvalScript_FileTarget (192168001006115537667132800002)	FileTarget	07/14/2009 13:26:55 PM	07/14/2009 13:26:55 PM	93 ms	Executed	2322	0

Close Window

Figure 14.6: Process Flow Status


14. Click **Close Window** button to close this screen.
15. To view the information about the context variable used in the process flow, click the **Context Info** link in the View Process Flow Log (Running) screen.
16. If you want to view summary of the process flow execution for the selected time interval, click **Show Summary** button on the Process Flow Log (Search Criteria) screen. This displays the summary for all statuses of the process flow, based on the selected criteria (see Figure 14.7).

Process Flows Summary between 07/11/2009 00:00:00 and 07/11/2009 23:59:59

Process Flows				
Start Time ->		before 07/11/2009 00:00:00	after 07/11/2009 00:00:00	after 07/11/2009 00:00:00
End Time ->		before 07/11/2009 23:59:59	before 07/11/2009 23:59:59	after 07/11/2009 23:59:59
Process Flows	Successful	0	0	0
	Aborted	0	0	0
	Executed	0	0	0

[Close Window](#)

Figure 14.7: Summary for all Process Flows



The process flow summary displays the process flows based on three categories:

- Process flows that started before the specified start time and ended before the specified end time
- Process flows that started after the specified start time and ended before the specified end time
- Process flows that started after the specified start time and ended after the specified end time

You can view the process flow summary based on all criteria except the process flow status. The system always displays the summary for all process flows status.

15 ABOUT ADEPTIA INC.

Adeptia, an enterprise software company headquartered in Chicago, Illinois, provides a business process integration technology to easily and quickly automate business processes using industry-specific standards. Adeptia's unique product combines business process management with business-to-business integration. Adeptia's reusable and highly scalable technology has been deployed by Fortune 1000 companies. For more information, visit <http://www.adeptia.com> .

Adeptia Headquarters
443 North Clark St, Suite 350
Chicago, IL 60654
USA
Email: info@adeptia.com

Adeptia India R&D Centre
D-74, Sector 63,
Noida, U.P. - 201301
India

16 TABLE OF FIGURES

Figure 3.1: Task Manager.....	9
Figure 3.2: Task Manager (with Tasks).....	9
Figure 3.3: Staffs Task Manager.....	10
Figure 3.4: Task.....	11
Figure 3.5: File Upload.....	12
Figure 3.6: File Uploaded.....	12
Figure 3.7: View Attached Files.....	13
Figure 3.8: Comments screen.....	14
Figure 3.9: Select Search Criteria.....	15
Figure 3.10: Process Instance Search Results.....	15
Figure 3.11: Task Search Results.....	16
Figure 3.12: Process Instance Details.....	17
Figure 3.13: Process Flow Log screen.....	17
Figure 3.14: View Process Flow.....	18
Figure 3.15: Task History.....	18
Figure 3.16: Business Data Detail.....	19
Figure 3.17: Tasks search based on Process Instance.....	20
Figure 3.18: Tasks search based on Task Instance.....	20
Figure 4.1: Document Repository.....	22
Figure 4.2: Intermediate Process Flow Files.....	23
Figure 4.3: Select Document.....	24
Figure 4.4: Select View.....	24
Figure 4.5: View Document.....	24
Figure 4.6: Select Download.....	25
Figure 4.7: Download File.....	25
Figure 4.8: Save As.....	26
Figure 4.9: Select Search.....	26
Figure 4.10: Input.....	27
Figure 4.11: Selected Folders.....	27
Figure 4.12: Selected Folders and Documents.....	28
Figure 5.1: Major and Minor Level Category Names in My Solutions Menu.....	30
Figure 5.2: Web Form.....	31
Figure 5.3: Validation Message.....	31
Figure 6.1: Solution Monitor.....	35
Figure 6.2: Date and Time Range.....	36
Figure 6.3: Solutions.....	36
Figure 6.4: Solution Dashboard.....	38
Figure 6.5: Searched Solutions based on Process Variable Search.....	39
Figure 6.6: Graphical Display of Selected Solution.....	39
Figure 6.7: Solution Instances of Selected Solution.....	41
Figure 6.8: Confirm Terminate.....	41
Figure 6.9: Terminate Solution.....	42
Figure 6.10: Task History.....	42

Figure 7.1: User Performance Monitor.....	44
Figure 7.2: Task Queues	45
Figure 7.3: Graphical Display of Selected User	46
Figure 7.4: Detailed Task Queue of Selected User.....	47
Figure 8.1: Usage Report.....	48
Figure 8.2: Current Repository Summary	49
Figure 8.3: Process Execution Summary	49
Figure 8.4: Data Integration Execution Summary	50
Figure 9.1: Reports	51
Figure 9.2: Standard Process Flow Report.....	51
Figure 9.3: Process Flow Report in Jasper Viewer.....	52
Figure 11.1: Audit Trail Log (Search Criteria).....	56
Figure 11.2: View Audit Trail Log.....	57
Figure 12.1: Event Log (Search Criteria).....	58
Figure 12.2: View Event Log.....	59
Figure 13.1: System Log (Search Criteria)	60
Figure 13.2: View System Log	61
Figure 14.1: Process Flow Log (Search Criteria).....	62
Figure 14.2: View Process Flow Log (Running)	63
Figure 14.3: Process Flow Context Information	64
Figure 14.4: View Process Flow Detail Log.....	65
Figure 14.5: Repository screen.....	66
Figure 14.6: Process Flow Status.....	66
Figure 14.7: Summary for all Process Flows	67